SafeFood Laboratories Åé Ùc. 7 6b. 53321 ÅCY-3302 Åş Ù: Ù ŋ g Å7 i ´ ɟ ɑ g
ƶ ÙŰ Ù ɑ g 14 Å ɑ ɑ ɛ. ÐÙ ş ɑ ɑ ɛ ɟ ɔ ɑ ɑ g ɟ ɑ Ù ɔ Ù ɑ ɑ g ÅCY-4104 Åş Ù: Ù ŋ g Å7 i ´ ɟ ɑ g
é d ə: +357 25 82 35 00 ÅEmail: info@sfl.com.cy Åwww.safefoodlabs.com

ɟ ɟ . Ðş ů Ű: L026
Á ɟ ɔ Ű Ù é ɟ ş ɑ ɑ ə ɑ ɛ ɪ 3

Ð Ł É é Ð Ł Ð Ð Ł ¢ é Ł 7 Ð ɟ ? ɟ ş J Ð É ¢ Ð É

Ipsonas Municipal Council
83 Archbishop Makarios III Avenue, CY-4181,
Ipsonas, Cyprus.

é d ə: 25 395 600
ū Ù ə: 25 392 595 E-mail: demosipsona@cytanet.com.cy; troodia.aristidou@ipsonas.org

ɟ ɟ . Ð ş ů Ű é ´ ɑ ɔ d [Ű ə ɑ ɛ i	:	**46641**
ɟ ɟ . Ō ə ŭ ɛ ů d ɡ	:	1
ɟ ɟ . Á ɜ Ű é ə æ ɡ q p Ů ɒ ɛ .	:	2020/46641
¢ ɛ / ɜ d Ù Ð ɟ Ù ə Ù ɒ æ ɡ	:	06/10/2020
Ō ɜ Ù ɟ ɜ d ɟ ɜ Ÿ ə g ů d ɡ	:	06/10/2020
Ð Ů ɟ Ð Ű ŭ d ɟ ɜ Ÿ ə g ů d ɡ	:	09/10/2020
¢ ɛ / ɜ d Ù Ō ə ŭ ɛ ů d ɡ	:	09/10/2020

é Ù g Ű Ű Ù q p Ů ɒ ɛ Ù Ű é ɡ	:	**WATER - POTABLE**	
é ɦ ´ ɛ ɡ q p Ů ɜ ɒ ɛ / ɣ d Ù ɡ	:	[2] WATER TAP - AYIOU NICOLAOU 58	
Æ d ɛ Ů ɑ æ q p Ů ɜ ɒ ɛ / ɣ d Ù ɡ	:		
q p Ů ɜ ɒ ɛ Ù Ű é ə d ɣ d Ù Ű ɦ	:	Lab Staff	
ƶ ɣ d ɛ ŭ ɛ ɡ q p Ů ɜ ɒ ɛ / ɣ d Ù ɡ	:	Instant (single shot)	
ƶ Ů Ű Ű ű ɛ ɟ Ÿ q p Ů ɒ ɛ .	:	Lab Staff	
Æ g ů ə Ů ɡ Ù ŭ d Ù q p Ů ɒ ɛ .	:	HDPE Bottle sodium thiosulphate 500ml	
Æ g ɜ Ű é ɟ d ů d q p Ů ɒ ɛ .	:	Refrigerator	
Ť Ù Ű Ÿ ů Ű Ù ů d q p Ů ɒ ɛ .	:	Excellent (5 Ñ 3 Á C)	

ȳ ə Ù Ű Ù Ű ɛ Ű Ů ɜ Ÿ ů æ Ù Ű Ù Ű ŕ ɜ ƶ ɔ ɔ ɟ ɛ b ɔ ɔ æ ɔ ɛ ɔ ɔ ə ɪ ɜ ɟ ɜ Ù ə ɨ ů Ů ŕ ɜ / q æ ə ɔ æ ɪ ɜ Ù ű ɛ ɟ ɛ ɨ ɜ ɛ d Ů ɔ b Ů ɔ Ù ɔ ɣ ɛ ɣ ɜ Ů ɡ (Presumptive) ɛ Ů Ű ɟ æ ů ɔ ɣ ɡ Ů ə Ű ɦ ɡ Ů Ÿ ɜ ů d ɛ Ů ɑ ɪ ɜ ɛ ɜ Ű Ű ə ɜ Ů ə Ÿ d Ù ɟ Ù ɤ ɡ Á ´ ɔ b Ů ɔ Ù ɔ ɣ ɛ ɣ ɜ Ů ɡ

ƶ ɔ ɔ ɟ ɛ b ɔ ɔ æ ɛ ɔ ɔ ə æ ɟ ɜ Ÿ ə g ů d ɡ				
Ð Ù ɟ Ÿ ɛ Ů Ű ɟ ɛ ɡ ɟ ɜ Ÿ ə g ů d ɡ	**ɟ ´ ɛ Ű ɣ ə Ů ɑ ɛ Ù / ƶ ɛ ɜ Ÿ ŭ Ů ɡ**	**ȳ ɟ ə Ù Ð Ů ə Ÿ Ű d**	**ƶ ɣ d ɛ ŭ ɛ ɡ**	
Ť Ù Ű Ű ɛ ɣ Ű ɟ d ů d Ű é g ů g ɜ ɦ ə ɛ g Ű ŕ ɜ Ù Ű ɟ ɦ b ɤ ɜ ɛ ɔ ɔ ɟ ɛ ɛ ɟ ɔ Ù ɜ ɔ ů ɛ ɪ ɜ ů Ű é g g ɡ 22 Á C	35 cfu/ml	< 100	WT SFL 01	*
Ť Ù Ű Ű ɛ ɣ Ű ɟ d ů d Ű é g ů g ɜ ɦ ə ɛ g Ű ŕ ɜ Ù Ű ɟ ɦ b ɤ ɜ ɛ ɔ ɔ ɟ ɛ ɛ ɟ ɔ Ù ɜ ɔ ů ɛ ɪ ɜ ů Ű é g g ɡ 37 Á C	18 cfu/ml	< 20	WT SFL 01	*
ɟ ɜ œ ɜ Ù ů d q ə Ù ɜ ə Ù Ű Ű ɛ ɣ Ű ɟ d ů d q ɛ ɔ ɔ ɪ ɜ ə ɛ æ ɔ b Ù ɜ Ű d ɟ ɤ ɔ ɛ Ů ŭ ɪ ɜ	ND cfu/100ml	0	WT SFL 02P	*
ɟ ɜ œ ɜ Ù ů d q ə Ù ɜ ə Ù Ű Ű ɛ ɣ Ű ɟ d ů d q Ű d ɡ Escherichia coli	ND cfu/100ml	0	WT SFL 03P	*
ɟ ɜ œ ɜ Ù ů d q ə Ù ɜ ə Ù Ű Ű ɛ ɣ Ű ɟ d ů d q Ű ŕ ɜ ə æ ´ ɟ Ù ɜ ɤ ŭ ɪ ɜ Ù ɜ Ű Ű ɟ ɛ ə ɦ ə ə ɤ ɜ	ND cfu/100ml	0	WT SFL 06P	*
ɟ ɜ œ ɜ Ù ů d q ə Ù ɜ ə Ù Ű Ű ɛ ɣ Ű ɟ d ů d q Ű d ɡ Pseudomonas aeruginosa	ND cfu/100ml	0	WT SFL 05P	*

Ð ə Ù ɜ Ù ə ɨ ů Ů ɡ / ŭ ɛ ə æ ɛ ɣ ɡ ´ ɛ g ů d ɛ Ů ɪ ɜ ɛ ɜ Ű Ù ɜ ɛ Ů * ´ Ű ɟ ə ə Ù ɛ b Ÿ ɜ ɛ ɜ Ű Ù ɜ ů Ű é ɜ ů ɑ ɨ ɤ ɜ Ÿ Ů ɪ œ Á ú Ű ɟ ɛ ɔ ɔ æ ɡ Ű d ɡ q ə Ù Ű ů d ɡ Ű é g Á ɟ ɔ Ù ŭ Ű d ɟ œ g
ND = q p Ů ɜ ɟ ɜ ɛ ɡ Ů ɨ d ɛ ə Ů (Not Detected)
cfu = ɟ ɤ ɑ ɛ ɦ ɡ ɟ ´ ɛ ə ɔ ɪ ɜ (Colony Forming Units)

É Copyright SafeFood Laboratories and ALS Laboratory Group, 2020. All rights reserved.

SafeFood Laboratories [illegible] 53321 [illegible] CY-3302 [illegible]
[illegible] 14 [illegible] CY-4104 [illegible]
[illegible] +357 25 82 35 00 [illegible] Email: info@sfl.com.cy [illegible] www.safefoodlabs.com

[illegible]: L026
[illegible]

[illegible]	**:**	**46641**
[illegible]	:	1

[illegible]

[illegible] +

[illegible]

[illegible]

[illegible]

+ [illegible] 98/83/EC [illegible]

© Copyright SafeFood Laboratories and ALS Laboratory Group, 2020. All rights reserved.

SafeFood Laboratories [illegible] 53321 [illegible] CY-3302 [illegible]
[illegible] 14 [illegible] CY-4104 [illegible]
[illegible] +357 25 82 35 00 [illegible] Email: info@sfl.com.cy [illegible] www.safefoodlabs.com

[illegible] L026
[illegible]

[illegible]	:	**46641**
[illegible]	:	1

[illegible]

[illegible]

[illegible] ISO 17025 [illegible] ISO 17025 [illegible]

[illegible]

[illegible]

[illegible]
MPhil, PhD (Surrey)
[illegible]
[illegible] SafeFood Laboratories

[illegible] Copyright SafeFood Laboratories and ALS Laboratory Group, 2020. All rights reserved.